

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 289  | ((register) adj decoder).clm.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/07/05 13:31 |
| L3    | 53   | ((register) adj decoder) and command).clm.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/07/05 13:32 |
| L6    | 5    | ((register) adj decoder) and ((command) near2 (pin pad port terminal connection contact))).clm. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/07/05 13:33 |

## EAST Search History

| Ref # | Hits | Search Query  | DBs  | Default Operator | Plurals | Time Stamp       |
|-------|------|---|--|------------------|---------|------------------|
| S1    | 706  | ((address register command) adj decod\$4) same (test with (pattern vector sequence operation topologies)) | US-PGPUB; USPAT                                    | OR               | ON      | 2007/07/03 16:51 |
| S2    | 270  | S1 and (("714"/\$.ccls.) ("324"/\$.ccls.))  | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:21 |
| S3    | 152  | S2 and (test near2 (operation mode setting)) and (normal near2 (operation mode setting))                  | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:21 |
| S4    | 1    | "5640509".pn.   | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:11 |
| S5    | 1    | "7188291 ".pn.  | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:14 |
| S6    | 1    | "7039544 ".pn.  | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:16 |
| S7    | 1    | "7191085".pn.   | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:16 |
| S8    | 1    | ((register and command) adj decod\$4) same (test with (pattern vector sequence operation topologies))     | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:21 |
| S9    | 41   | ((register) adj decod\$4) same (test with (pattern vector sequence operation topologies))                 | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:21 |
| S10   | 24   | S9 and (("714"/\$.ccls.) ("324"/\$.ccls.))  | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:21 |
| S11   | 25   | S9 and (test near2 (operation mode setting)) and (normal near2 (operation mode setting))                  | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:22 |
| S12   | 14   | S10 and S11   | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/16 16:22 |
| S13   | 1468 | (register adj decoder)  | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/18 16:47 |
| S14   | 16   | S13 same (test with (pattern vector sequence topologies))   | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/18 17:00 |
| S15   | 1    | "20020049946".pn.   | US-PGPUB; USPAT                                    | OR               | ON      | 2007/06/18 17:00 |
| S16   | 1925 | (decoder with (command near2 input))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR               | ON      | 2007/06/18 19:17 |

## EAST Search History

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| S17 | 10  | S16 and ((auxiliary secondary test tesing tested special register) adj (command adj decoder))         | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:13 |
| S18 | 89  | (command and register) adj decoder  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 18:12 |
| S19 | 486 | data adj topologies   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 18:01 |
| S20 | 15  | S16 and S18   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 18:24 |
| S21 | 6   | S16 same (test with (vector sequence pattern topologies topolog\$4))                                  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 18:25 |
| S22 | 18  | (decoder with (command near6 input)) same (test with (pattern vector sequence topologies topolog\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 18:50 |
| S23 | 12  | S22 not S21   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 18:29 |
| S24 | 266 | (decoder with (command near6 input)) and (test with (pattern vector sequence topologies topolog\$4))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 18:59 |

## EAST Search History

|     |       |  |  |    |    |                  |
|-----|-------|--|--|----|----|------------------|
| S25 | 604   | (decoder with (command near6 input)) and (test with (pattern vector sequence operation topologies topolog\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:03 |
| S26 | 47907 | (sav\$3 hold\$3 stor\$3) same (test with (pattern vector sequence operation topologies topolog\$4))            | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:04 |
| S27 | 197   | S25 and S26  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:05 |
| S28 | 23114 | (sav\$3 hold\$3 stor\$3) with (test with (pattern vector sequence operation topologies topolog\$4))            | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:04 |
| S29 | 132   | S25 and S28  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:05 |
| S30 | 27    | S29 and ("714"/\$.ccls.) ("324"/\$.ccls.))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:05 |
| S31 | 3404  | (decoder with (command near6 input))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:18 |
| S32 | 2816  | (decoder with (command near4 input))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/18 19:21 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S33 | 1369 | S32 and (not (command adj decoder))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/18 19:21 |
| S34 | 1369 | S32 not (command adj decoder)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/18 19:21 |
| S35 | 1114 | S32 same (pattern vector sequence operation topologies topolog\$4)                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/18 19:22 |
| S36 | 55   | S32 same (test with (pattern vector sequence operation topologies topolog\$4))              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 10:12 |
| S37 | 72   | S32 same (test and (pattern vector sequence operation topologies topolog\$4))               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 10:12 |
| S38 | 17   | S37 not S36   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/18 19:45 |
| S39 | 2818 | (decoder with (command near4 input))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 10:12 |
| S40 | 97   | S39 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 10:15 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S41 | 65   | S39 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:13 |
| S42 | 1926 | (decoder with (command near2 input))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:14 |
| S43 | 38   | S42 and ((plural\$4 auxiliary secondary second test testing tested special register) adj (command adj decoder))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:14 |
| S44 | 65   | S39 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:15 |
| S45 | 97   | S39 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:06 |
| S46 | 843  | ((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) same (decoder decoding decode) same (test\$3 verif\$4) same (pattern vector sequence topologies topolog\$4 operation)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:25 |
| S47 | 475  | (((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) same (test\$3 verif\$4) same (pattern vector sequence topologies topolog\$4 operation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:32 |

## EAST Search History

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| S48 | 2648 | ((CS same RAS same CAS same WE)((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) and ((test\$3 verif\$4) with (pattern vector sequence topologies topolog\$4 operation))        | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:29 |
| S49 | 6513 | ((CS same RAS same CAS same WE)((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) and ((decoder decoding decode) with (pattern vector sequence topologies topolog\$4 operation)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:31 |
| S51 | 326  | ((CS same RAS same CAS same WE)((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) same ((test\$3 verif\$4) with (pattern vector sequence topologies topolog\$4 operation))       | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:33 |
| S52 | 81   | S51 and ("714"/\$.ccls.) ("324"/\$.ccls.))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:35 |
| S53 | 63   | S52 not (S43 S44 S45)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 10:35 |
| S54 | 126  | S45 S44 S43   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:07 |
| S55 | 72   | S39 same (test and (pattern vector sequence operation topologies topolog\$4))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:09 |

## EAST Search History

|     |       |   |  |    |    |                  |
|-----|-------|---|--|----|----|------------------|
| S56 | 55    | S39 same (test with (pattern vector sequence operation topologies topolog\$4))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:09 |
| S57 | 54    | S54 not (S55 S56)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:09 |
| S58 | 12411 | ((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:30 |
| S59 | 51039 | (decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5 write writing read reading writ\$4 read\$4 address addressing addresses address\$4) with (pattern vector sequence operation topologies topolog\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:35 |
| S60 | 4339  | S58 and S59   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:36 |
| S61 | 1203  | (decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5) with (pattern vector sequence operation topologies topolog\$4) with (test\$4 verif\$4)  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:40 |
| S62 | 141   | S58 and S61   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:40 |
| S63 | 2818  | (decoder with (command near4 input))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:37 |

## EAST Search History

|     |       |  |  |    |    |                  |
|-----|-------|--|--|----|----|------------------|
| S64 | 1926  | (decoder with (command near2 input))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:37 |
| S65 | 38    | S64 and ((plural\$4 auxiliary secondary second test testing tested special register) adj (command adj decoder))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:37 |
| S66 | 65    | S63 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:37 |
| S67 | 97    | S63 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4))  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:37 |
| S68 | 126   | S67 S66 S65  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:37 |
| S69 | 119   | S62 not S68  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 11:50 |
| S75 | 12411 | (((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)) (command near4 (terminal pin pad port input signal))) with (decoder decoding decode)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 12:05 |
| S76 | 1203  | (decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5) with (pattern vector sequence operation topologies topolog\$4) with (test\$4 verif\$4)           | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 12:05 |

## EAST Search History

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S77 | 141  | S75 and S76   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 12:07 |
| S78 | 2818 | (decoder with (command near4 input))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 12:05 |
| S79 | 1926 | (decoder with (command near2 input))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 12:05 |
| S80 | 38   | S79 and ((plural\$4 auxiliary secondary second test testing tested special register) adj (command adj decoder)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 12:05 |
| S81 | 65   | S78 same ((test\$3 verif\$4) with (pattern vector sequence operation topologies topolog\$4))                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 12:05 |
| S82 | 97   | S78 same ((test\$3 verif\$4) and (pattern vector sequence operation topologies topolog\$4))                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 12:05 |
| S83 | 126  | S82 S81 S80   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/06/19 12:05 |
| S84 | 119  | S77 not S83   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/07/03 17:46 |

## EAST Search History

|      |    |   |   |    |    |                  |
|------|----|---|---|----|----|------------------|
| S98  | 89 | (command and register) adj decoder        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/07/03 17:56 |
| S99  | 10 | S98 and ("714"/\$.ccls.) ("324"/\$.ccls.) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/07/03 17:54 |
| S100 | 10 | ((command and register) adj decoder).clm. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/07/05 13:31 |

## EAST Search History

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| S85 | 468 | (decoder decoding decode) with (select selecting selected select\$4 choose choosing chose pick picking picked pick\$4 identif\$5) with (pattern vector sequence topologies topolog\$4) with (test\$4 verif\$4)   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 12:06 |
| S86 | 44  | S75 and S85  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 12:07 |
| S87 | 38  | S86 not S83  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/06/19 12:08 |
| S88 | 216 | (decoder decode decoding) same ((test\$4 verif\$4) with (pattern vector sequence operation topolog\$4)) same ((command near2 (terminal pin pad port input output)) ((CS same RAS same CAS same WE) ((chip adj select\$4) same (row near2 select\$4) same (column near2 select\$4) same (write near2 enabl\$3)))) | US-PGPUB; USPAT                                    | OR | ON | 2007/06/21 07:17 |
| S89 | 43  | S88 and (("714"/\$.ccls.) ("342"/\$.ccls.))  | US-PGPUB; USPAT                                    | OR | ON | 2007/06/21 07:03 |
| S90 | 173 | S88 not S89  | US-PGPUB; USPAT                                    | OR | ON | 2007/06/21 07:17 |
| S91 | 1   | "5317720".pn.  | US-PGPUB; USPAT                                    | OR | ON | 2007/07/03 16:53 |
| S92 | 1   | "6256681".pn.  | US-PGPUB; USPAT                                    | OR | ON | 2007/07/03 16:54 |
| S93 | 1   | "20010030888".pn.  | US-PGPUB; USPAT                                    | OR | ON | 2007/07/03 16:55 |
| S94 | 0   | "1998185088".pn.   | US-PGPUB; USPAT                                    | OR | ON | 2007/07/03 16:55 |
| S95 | 1   | "5745403".pn.  | US-PGPUB; USPAT                                    | OR | ON | 2007/07/03 16:56 |
| S96 | 1   | "5555214".pn.  | US-PGPUB; USPAT                                    | OR | ON | 2007/07/03 16:59 |
| S97 | 1   | "5640509".pn.  | US-PGPUB; USPAT                                    | OR | ON | 2007/07/03 16:59 |